

Tabela 4: Dispersão dos genes *qac* e dos elementos genéticos em que estão inseridos em diferentes hospedeiros bacterianos

[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	Benjamin <i>et al</i> , 2010
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	Elizabeth <i>et al</i> , 2003; Espedido, <i>et al</i> , 2008; Tao Yu <i>et al</i> , 2010
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	Antunes <i>et al</i> , 2007; Colinon <i>et al</i> , 2010

Tabela 4 (Continuação): Dispersão dos genes *qac* e dos elementos genéticos em que estão inseridos em diferentes hospedeiros

[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]
[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]
[Redacted]	<p><i>mirabilis</i>, <i>Enterobacter cloacae</i>, <i>Enterobacter aerogenes</i>, <i>Serratia marcescens</i>, <i>Aeromonas hydrophila</i>, <i>Corynebacterium</i> <i>diphtheriae</i>, <i>Corynebacterium resistens</i>, <i>Citrobacter freundii</i>, <i>Desulfurispirillum indicum</i>, <i>Riemerella anatipestifer</i></p>	[Redacted]	[Redacted]	<p><i>et al</i> <i>et al</i> <i>et al</i> <i>et al</i></p>
[Redacted]	[Redacted]	[Redacted]	[Redacted]	<p>Berg <i>et al</i>, 1998, <i>et al</i> <i>et al</i>, 2011</p>
[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]